

**SAFETY DATA SHEET**



**650°F GRAY RTV SILICONE**

**1. Product & Company Identification**

**1.1 Product Details**

Product name: 650°F Gray RTV Silicone  
Physical form: Paste  
Odour: Acetic Acid  
Colour: Gray  
CAS No.: Mixture

**1.2 Company Details**

Manufacturer: Silock Technical Inc.  
Address: Nevada 89102 USA

**2. Hazards Identification**

Hazard Pictogram



Signal Word: Warning

Classification

Skin corrosion or irritation	Category 2
Serious eye damage or eye irritation	Category 2

Hazard Statement

H315 - Causes skin irritation.  
H319 - Causes serious eye irritation.

Precautionary Statement – Prevention

P264 - Wash thoroughly after handling.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statement – Response

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water.  
P332 + P313 - If skin irritation occurs: Get medical advice/attention.  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337 + P313 - If eye irritation persists: Get medical advice/attention.

**SAFETY DATA SHEET**



**650°F GRAY RTV SILICONE**

<p><b><u>Precautionary Statement – Storage</u></b>                  No precautionary statement.</p> <p><b><u>Precautionary Statement – Disposal</u></b>                  No precautionary statement.</p>
--

**3. Composition / Hazardous Components**

<u>Chemical Name</u>	<u>CAS No.</u>	<u>WT%</u>
Titanium dioxide	13463-67-7	< 5 %
Methyltriacetoxysilane	4253-34-3	< 5 %
Treated Fume Silica	68611-44-9	5 – 15 %

**4. First-aid Measures**

Take off all contaminated clothing immediately.	
In case of ingestion:	Seek medical advice immediately.
In case of skin contact:	Wipe with paper towel and immediately clean with water and soap.
In case of eyes contact:	Immediately flush with water, seek medical advice if necessary.

**5. Fire Fighting Measures**

Suitable extinguishing media:	All standard fire-fighting media.
Unsuitable extinguishing media:	Unknown
Hazardous decomposition:	Carbon dioxide, carbon monoxide, silicone dioxide and acetic acid.

**6. Accidental release measures**

Methods for cleaning up:	Take up mechanically.
--------------------------	-----------------------

**7. Handling and Storage**

Handling:	Avoid contact with eyes and skin. Ensure good ventilation during processing. Wear safety shoes.
Protection against fire/explosion:	General rules of fire prevention should be observed.
Storage:	Keep container tightly closed and dry.
Cautions:	Extreme heavy in drum form if product packed in 200L drum.

**SAFETY DATA SHEET**



**650°F GRAY RTV SILICONE**

<b>8. Exposure control / Personal protection</b>	
Ingredients with limited values to be controlled:	Not indicated.
Local exhaust:	recommended
General ventilation:	recommended
Hand protection:	Suitable protective gloves.
Eye protection:	Safety/ protective glasses.
Flammability:	Combustible

<b>9. Physical and Chemical Properties</b>	
Form:	Paste
Specific gravity:	1.03 ± 0.03
Colour:	Gray
Viscosity:	Not indicated
Odour:	Acetic Acid
Volatile % (25°C):	< 10%
Solubility in water:	Insoluble
Boiling point:	Non known
Flash point:	Non known
Ignition temperature:	Non known
Note: the above information is not intended for use in preparing specification.	

<b>10. Stability and Reactivity</b>	
Chemical stability:	Stable
Incompatibility (material to be avoid):	Water
Conditions to be avoid:	High temperature
Dangerous reactions:	None known
Dangerous products of decomposition:	Carbon dioxide, carbon monoxide, silicone dioxide, acetic acid, formaldehyde

<b>11. Toxicological Information</b>	
Acute toxicity:	Not determined
Primary irritant effect, On the skin:	Irritant for skin and mucous membranes.
On the eye:	Irritant effect
Sensitization:	Sensitization possible by inhalation.
Additional Toxicological information:	When used and handled according to specification, the product does not have any harmful effects according to our experience and the information provided to us.

## SAFETY DATA SHEET



### 650°F GRAY RTV SILICONE

#### 12. Ecological Information

Complete information not yet available.

#### 13. Disposal considerations

For cured sealant landfill may be suitable.  
With respect to local regulation, dispose of to suitable incineration plant.

#### 14. Transport Information

Proper shipping name: Silicone Sealant  
Hazard technical name: Not available.  
Hazard class: Not available.  
No dangerous goods under the transport regulation.

#### 15. Regulatory Information

Labeling (EC): This product is not subject to the labeling requirements.

#### 16. Other Information

These data are offered in good faith as typical values and not as a product specification. No warranty, either expressed or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific content of the intended use and determine whether they are appropriate.

\*\*\* End of SDS \*\*\*